

³ Register (/using-joomla/extensions/components/users-component/registration-form.html)

Install & folder structure

How to install T3 framework and its folder structure [T3 Bootstrap 2 version \(/documentation/t3-bootstrap-2\)](#)

Video Tutorial



How To Install T3 Framework

This video tutorial will guide you how to install T3 framework. There are 2 types of installation: Quickstart installation and Manual Installation.

Video Tutorial
System Requirement
Download
Manual Installation
Quickstart Installation
About T3 version
Upgrade
Folder Structure

System Requirement

Server Requirement

Software: PHP 5.3.1 +

Database

- MySQL 5.1 +
- MSSQL 10.50.1600.1 +
- PostgreSQL 8.3.18 +

Web Sever

- Nginx 1.0 (1.1 recommended)

³ Register (/using-joomla/extensions/components/users-component/registration-form.html)

Browser Requirement

- Firefox 4 +
- IE (Internet Explorer) 8 +
- Google Chrome 10 +
- Opera 10 +
- Safari 5 +

Development Environment

During development process, Localhost is preferred. You can use the following servers in your PC to develop your site.

Windows

- WAMPSEVER
- XAMPP for Windows

Linux

- LAMP Bubbler
- XAMPP for Linux

Mac OS

- MAMP & MAMP Pro
- XAMPP for Mac OS

Download

The instruction is applicable for both Joomla 2.5 and Joomla 3. We highly recommend you to use the stable version of Joomla, T3 version is now stable.


Now we move the project to github and you can check our project from:
<https://github.com/t3framework/t3> (<https://github.com/t3framework/t3>)

You can download our latest work or the released package. We suggest you to download the released version, it is tested and checked.

1 Login (/component/user/?view=login)

fl

3 Register (/using-joomla/extensions/components/users-component/registration-form.html)




Download T3 (/downloads)

Manual Installation


You can select to install package (the package includes: T3 Blank Template and T3 Framework Plugin) or install one by one. The procedure includes the following steps:

Step 1: Install T3 Package



Step 2: Enable The T3 plugin

By default, when you install the plugin, it is enabled already. To check, go to: *Extensions --> Plugin Manager --> find the plugin T3 Framework.*



3 Register (/using-joomla/extensions/components/users-component/registration-form.html)

Site Name * Joomla30 Admin Email * admin@joomla30.com

Description Admin Username * admin

Enter a description of the overall Web site that is to be used by search engines. Generally, a maximum of 20 words is optimal. You may change the default username **admin**.

Admin Password * Confirm Admin Password *

Set the password for your Super Administrator account and confirm it in the field below.

Site Offline No Yes

Set the site frontend online when installation is completed. The site can be set online later on through the Global Configuration.

Database Configuration

Enter the required information of your site: sitename, email ...

1 Configuration 2 Database 3 Overview

Database Configuration

← Previous → Next

Database Type * MySQLi
This is probably "MySQLi"

Host Name * localhost
This is usually "localhost"

Username * root
Either something as "root" or a username given by the host

Password
For site security using a password for the database account is mandatory

Database Name * joomla30
Some hosts allow only a certain DB name per site. Use table prefix in this case for distinct Joomla! sites.

Table Prefix * w4oc5_

Install Sample Data

If you install sample data, you will have a site like our demo. If you select default sample data, you will a fresh site site with T3 framework plugin and T3 blank template installed and enabled.

Finalisation

← Previous → Install

3 Register (/using-joomla/extensions/components/users-component/registration-form.html)

Install Sample Data

None

Default English (GB) Sample Data

Installing sample data is strongly recommended for beginners.

This will install sample content that is included in the Joomla! installation package.

Overview

Email Configuration

No

Yes

Send configuration settings to `admin@joomla30.com` by email after installation.

Include Passwords in
Email

No

Yes

Warning! It is recommended to not send and store your passwords in emails.

Remove or Rename the Installation folder

The final step is removing or renaming the Installation folder

Congratulations! Joomla! is now installed.

PLEASE REMEMBER TO COMPLETELY REMOVE THE INSTALLATION FOLDER.
You will not be able to proceed beyond this point until the installation directory has been removed. This is a security feature

Remove installation folder

Site Administrator

About T3 versions

There is always a team working on T3 Framework: support, fix bugs and develop new features. Since first stable version of T3 framework was released, there has been number of released versions. The released version comes with bug fixes, improvements and new features. You can view the information of release in T3 Framework changelog (<https://github.com/t3framework/t3/blob/master/CHANGELOG.md>).

View T3 changelog (<https://github.com/t3framework/t3/blob/master/CHANGELOG.md>)

3 To have bug fixes or improvements/new features from a specific

fl

versions, you have to upgrade T3 framework to the version. But

3 before upgrade; please always take BACKUP
 Register (using [joomla/extensions/components/users-component/registration-form.html](http://www.t3-framework.org/documentation/ins.../registration-form.html))

How to upgrade T3 Framework?

- Install new version of T3 Framework directly to your system, uninstallation is not required.
- Upgrade through Joomla update system
- Upgrade through JA Extension Manager - recommended method


Upgrade instruction (<http://t3-framework.org/documentation/installation#upgrade>)

Upgrade instruction

Upgrade T3 Framework to latest version

Joomla Update

In the Template setting panel of T3 Blank template or any template developed with T3 Framework, you will see the notification if new version of template or plugin is found from the General tab



<input type="checkbox"/>	Name	Install Type	Type	Version	Folder	Client	URL De
<input type="checkbox"/>	T3 Blank Template	Update	Template	1.1.0	N/A	Site	http://update.joomlaart.com/j16/t3_blank.xml
<input checked="" type="checkbox"/>	T3 System Plugin	Update	Plugin	1.1.0	system	Site	http://update.joomlaart.com/j16/plg_system_t3.xml

The Joomla! Update system is the override installation, so it will override all files/folder of the extension. If you have customized, so you should not use the Joomla! Update system because your work will be lost.

3 Register (/using-joomla/extensions/components/users-component/registration-form.html)

<input type="checkbox"/>	Name	Install Type	Type	Version	Folder	Client	URL De
<input type="checkbox"/>	T3 Blank Template	Update	Template	1.1.0	N/A	Site	http://update.joomlaart.com/j16/t3_blank.xml
<input checked="" type="checkbox"/>	T3 System Plugin	Update	Plugin	1.1.0	system	Site	http://update.joomlaart.com/j16/plg_system_t3.xml

In this case, we suggest you to use JAEM to upgrade

Upgrade through JAEM

We suggest to use JAEM to upgrade T3 Framework because your work will not be lost. If you use JA products, you should use JAEM for upgrading

All versions of extensions are stored in [JA Repository](#) (Edit), to start using auto update of supported extension, [Upload](#) new version of the extension now. Filter: t3 -- all -- Go
 Please read [Help and support](#) for more information.

Num	Extension name	Author	Type	Version	Created date	Service
1	T3 Framework	JoomlaArt.com	P	1.1.0 RC2	05 February 2013 3 weeks ago	JoomlaArt Updates
	Check update Rollback	New version found! - 1.1.0 (New! 2013-02-22) Change log - Compare Upgrade now				
2	t3_blank	JoomlaArt.com	T	1.1.0 RC2	05 February 2013 3 weeks ago	JoomlaArt Updates
	Check update Rollback	New version found! - 1.1.0 (New! 2013-02-22) Change log - Compare Upgrade now				

Documentation (http://wiki.joomlaart.com/wiki/JA_Extensions_Manager)

/How-to) Video tutorials (<https://www.youtube.com>)

[/watch?v=t6W0bM0duS4](#))

Update JA T3v3 Framework to T3 Framework

We moved JA T3v3 to T3 project so now, we will maintain and develop T3 project instead of JA T3v3. For some templates that were developed with JA T3v3 (JA Brisk, JA Mero, JA Onepage) can be upgraded to be compatible with T3 framework.

1. Before Upgrading

BACK UP is required, please back-up your site before upgrading

There are 2 options available for your upgrading

Option 1 If you do not customize much and you can do it again

Option 2 If you have customized a lot

- 3 Register (/using-joomla/extensions/components/users-component/registration-form.html)
- Upgrade template through JAEM (JA Extension Manager) then install T3 plugin


2. Upgrade Template

To make templates compatible with T3, we had to make changes to the templates so you have to upgrade template before installing T3 plugin


Step 1: upgrade template through JAEM

To upgrade template through JAEM (JA Extension Manager Component) you need to install the component and configure it properly. Please check [DETAIL GUIDE \(http://wiki.joomlart.com/wiki/JA_Extensions_Manager/How-to\)](http://wiki.joomlart.com/wiki/JA_Extensions_Manager/How-to) of how to use the extension.

Next, check the new version of template to upgrade



When upgrading, we only pay attention to conflicted files - *files that have been modified by both User and Developer* .




When upgrading, the conflicted files will be overridden by files in new version, that means what you customized in the files will be lost.




How to upgrade Joomla to new version. After upgrading successfully, you need to compare the conflicted files (using your back-up files) then copy what you customize to the new upgraded files.

3 Register (/using-joomla/extensions/components/users-component/registration-form.html)



3. Uninstall or Disable JA T3v3 plugin




4. Install T3 Framework Plugin

Download latest version of T3 Framework Plugin

Download T3 (<http://www.joomlart.com/forums/downloads.php?do=file&id=3273>)

Now, install the plugin and make sure it is enabled.



³ Register (/using-joomla/extensions/components/users-component/registration-form.html)



Folder Structure

After this video tutorial, you will be able to know about your T3 System plugin folder structure, your JA Templates which developed with the T3 Framework and the functionality of the folders and files - all the materials you should be aware of before getting started in customizing your template.

After Installation, you should know the folder structure of the framework which shows you where and how to work with files.

T3 BS3 Blank template

T3 integrates Bootstrap, developed with LESS. Check the folder structure to know where to start.

```

+-- less/                                /* all LESS files */
|
|   +-- rtl/                              /*all files of right to left
3 Register (using-joomla/extensions/components/users-component/registration-form.html)
|   +-- themes/                            /*all theme folders theme files */
|
|   +-- bootstrap.less
|   +-- core.less
|   +-- home.less
|   +-- joomla.less
|   +-- ...
+-- css/                                  /*all compiled files*/
|   +-- themes/                            /*all theme folders and files*/
/
|   +-- bootstrap.css
|   +-- home.css
|   +-- megamenu.css
|   +-- template.css
+-- fonts/
+-- js/
|   +-- scripts.js
+-- tpls/                                /* all layout files and block files*/
|   +-- blocks/                            /*all block files here*/
|       |   +-- head.php
|       |   +-- mainbody.php
|       |   +-- footer.php
|       |   +-- ...
|   +-- default.php
|   +-- default-content-left.php
|   +-- default-content-right.php
|   +-- home-1.php
|   +-- home-2.php
+-- images/
+-- languages/
|   +-- en-GB.tpl_t3_bs3_blank.ini
|   +-- en-GB.tpl_t3_bs3_blank.sys.sys.ini
+-- templateDetail.xml
+-- templateInfo.php/
+-- thememagic.php/                       /*the file is to add new group, parameters for ThemeMagic*/
+-- index.php/
+-- index.html

```

The most important folder is: `less`. The folder contains all LESS files that are used to develop your site, the LESS files can be compiled to CSS files.

T3 system plugin

When you install the t3 system plugin, the plugin includes the Bootstrap library that is used to develop your site. We recommend you not to customize files of the plugin, all your work should be operated in t3_blank template.

3 `plugins/system/user/?view=login)`

```
+--plugins/system/t3/base /* base theme for T3 Blank tem
plate (bootstrap 2)*/
3 Register (/using-joomla/extensions/components/users-component/registration-form.html)
|   +-- layout-preview.css
|   +-- megamenu.css
|   +-- thememagic.css
|   +-- ...
+-- bootstrap/ /*Bootstrap 2 library folder*/
|   +-- css/ /*css files in bootstrap library*/
|   +-- ico/
|   +-- img/
|   +-- js/
|   +-- less/ /*include all less files*/
|       |   +-- code.less
|       |   +-- form.less
|       |   +-- ...
+-- less/
+-- fonts/
+-- js/
+-- html/
+-- tpls/
+-- params/
+-- tpls/
+-- component.php
+-- error.php
+-- index.html
+-- index.php
+-- offline.php
+--plugins/system/t3/base-bs3 /* base theme for T3 BS3
Blank template (Bootstrap 3)*/
+-- css/
|   +-- layout-preview.css
|   +-- megamenu.css
|   +-- off-canvas.css
|   +-- ...
+-- bootstrap/ Bootstrap 3 library folder
|   +-- css/ /*css files in bootstrap library*/
|   +-- ico/
|   +-- img/
|   +-- js/
|   +-- less/ /*include all less files*/
|       |   +-- grid.less
|       |   +-- mxins.less
|       |   +-- ...
+-- less/
+-- fonts/
+-- js/
+-- html/
+-- tpls/
+-- params/
+-- tpls/
+-- component.php
+-- error.php
```

```
+ --offline.php
3 Register (Using Joomla/Extensions/Components/Users-Component/Registration-Form.html)
+--includes/
+--language/
+--t3.php
+--t3.xml
+--t3.script.php
```

Copyright © 2013 T3 Joomla Template Framework. All Rights Reserved. Designed by JoomlaArt.com (<http://www.joomlaart.com/>).

Old T3v2 Framework (http://wiki.joomlaart.com/wiki/Main_Page) T3 on GitHub (<https://github.com/t3framework/t3>)

Joomla! (<http://www.joomla.org>) is Free Software released under the GNU General Public License. (<http://www.gnu.org/licenses/gpl-2.0.html>)

Bootstrap (<http://twitter.github.io/bootstrap/>) is a front-end framework of Twitter, Inc. Code licensed under Apache License v2.0 (<http://www.apache.org/licenses/LICENSE-2.0>).

Font Awesome (<http://fontawesome.github.io/Font-Awesome/>) font licensed under SIL OFL 1.1 (<http://scripts.sil.org/OFL>).